



US Army Corps
of Engineers
Seattle District

NATIONWIDE PERMIT 33

Terms and Conditions

Effective Date: June 15, 2012



- A. Description of Authorized Activities
- B. Corps National General Conditions for all NWP
- C. Corps Seattle District Regional General Conditions
- D. Corps Regional Specific Conditions for this NWP
- E. State 401 Certification General Conditions
- F. State 401 Certification Specific Conditions for this NWP
- G. EPA 401 Certification General Conditions
- H. EPA 401 Certification Specific Conditions for this NWP
- I. Coastal Zone Management Consistency Response for this NWP

In addition to any special condition that may be required on a case-by-case basis by the District Engineer, the following terms and conditions must be met, as applicable, for a Nationwide Permit authorization to be valid in Washington State.

A. DESCRIPTION OF AUTHORIZED ACTIVITIES

33. Temporary Construction, Access, and Dewatering. Temporary structures, work, and discharges, including cofferdams, necessary for construction activities or access fills or dewatering of construction sites, provided that the associated primary activity is authorized by the Corps of Engineers or the U.S. Coast Guard. This NWP also authorizes temporary structures, work, and discharges, including cofferdams, necessary for construction activities not otherwise subject to the Corps or U.S. Coast Guard permit requirements. Appropriate measures must be taken to maintain near normal downstream flows and to minimize flooding. Fill must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. The use of dredged material may be allowed if the district engineer determines that it will not cause more than minimal adverse effects on aquatic resources. Following completion of construction, temporary fill must be entirely removed to an area that has no waters of the United States, dredged material must be returned to its original location, and the affected areas must be restored to pre-construction elevations. The affected areas must also be revegetated, as appropriate. This permit does not authorize the use of cofferdams to dewater wetlands or other aquatic areas to change their use. Structures left in place after construction is completed require a separate section 10 permit if located in navigable waters of the United States. (See 33 CFR part 322.)

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity (see general condition 31). The pre-construction notification must include a restoration plan showing how all temporary fills and structures will be removed and the area restored to pre-project conditions. (Sections 10 and 404)

B. CORPS NATIONAL GENERAL CONDITIONS FOR ALL NWPs

Note: To qualify for NWP authorization, the prospective permittee must comply with the following general conditions, as applicable, in addition to any regional or case-specific conditions imposed by the division engineer or district engineer. Prospective permittees should contact the appropriate Corps district office to determine if regional conditions have been imposed on an NWP. Prospective permittees should also contact the appropriate Corps district office to determine the status of Clean Water Act Section 401

water quality certification and/or Coastal Zone Management Act consistency for an NWP. Every person who may wish to obtain permit authorization under one or more NWPs, or who is currently relying on an existing or prior permit authorization under one or more NWPs, has been and is on notice that all of the provisions of 33 CFR § 330.1 through 330.6 apply to every NWP authorization. Note especially 33 CFR § 330.5 relating to the modification, suspension, or revocation of any NWP authorization.

1. Navigation. (a) No activity may cause more than a minimal adverse effect on navigation.

(b) Any safety lights and signals prescribed by the U.S. Coast Guard, through regulations or otherwise, must be installed and maintained at the permittee's expense on authorized facilities in navigable waters of the United States.

(c) The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.

2. Aquatic Life Movements. No activity may substantially disrupt the necessary life cycle movements of those species of aquatic life indigenous to the waterbody, including those species that normally migrate through the area, unless the activity's primary purpose is to impound water. All permanent and temporary crossings of waterbodies shall be suitably culverted, bridged, or otherwise designed and constructed to maintain low flows to sustain the movement of those aquatic species.

3. Spawning Areas. Activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. Activities that result in the physical destruction (e.g., through excavation, fill, or downstream smothering by substantial turbidity) of an important spawning area are not authorized.

4. Migratory Bird Breeding Areas. Activities in waters of the United States that serve as breeding areas for migratory birds must be avoided to the maximum extent practicable.

5. Shellfish Beds. No activity may occur in areas of concentrated shellfish populations, unless the activity is directly related to a shellfish harvesting activity authorized by NWPs 4 and 48, or is a shellfish seeding or habitat restoration activity authorized by NWP 27.

6. Suitable Material. No activity may use unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.). Material used for construction or discharged must be free from toxic pollutants in toxic amounts (see Section 307 of the Clean Water Act).

7. Water Supply Intakes. No activity may occur in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.

8. Adverse Effects From Impoundments. If the activity creates an impoundment of water, adverse effects to the aquatic system due to accelerating the passage of water, and/or restricting its flow must be minimized to the maximum extent practicable.

9. Management of Water Flows. To the maximum extent practicable, the pre-construction course, condition, capacity, and location of open waters must be maintained for each activity, including stream channelization and storm water management activities, except as provided below. The activity must be constructed to withstand expected high flows. The activity must not restrict or impede the passage of

normal or high flows, unless the primary purpose of the activity is to impound water or manage high flows. The activity may alter the pre-construction course, condition, capacity, and location of open waters if it benefits the aquatic environment (e.g., stream restoration or relocation activities).

10. Fills Within 100-Year Floodplains. The activity must comply with applicable FEMA-approved state or local floodplain management requirements.

11. Equipment. Heavy equipment working in wetlands or mudflats must be placed on mats, or other measures must be taken to minimize soil disturbance.

12. Soil Erosion and Sediment Controls. Appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date. Permittees are encouraged to perform work within waters of the United States during periods of low-flow or no-flow.

13. Removal of Temporary Fills. Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The affected areas must be revegetated, as appropriate.

14. Proper Maintenance. Any authorized structure or fill shall be properly maintained, including maintenance to ensure public safety and compliance with applicable NWP general conditions, as well as any activity-specific conditions added by the district engineer to an NWP authorization.

15. Single and Complete Project. The activity must be a single and complete project. The same NWP cannot be used more than once for the same single and complete project.

16. Wild and Scenic Rivers. No activity may occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a "study river" for possible inclusion in the system while the river is in an official study status, unless the appropriate Federal agency with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely affect the Wild and Scenic River designation or study status. Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency responsible for the designated Wild and Scenic River or study river (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service).

17. Tribal Rights. No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.

18. Endangered Species. (a) No activity is authorized under any NWP which is likely to directly or indirectly jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will directly or indirectly destroy or adversely modify the critical habitat of such species. No activity is authorized under any NWP which "may affect" a listed species or critical habitat, unless Section 7 consultation addressing the effects of the proposed activity has been completed.

(b) Federal agencies should follow their own procedures for complying with the requirements of the ESA. Federal permittees must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will review the documentation and determine whether it is sufficient to address ESA compliance for the NWP activity, or whether additional ESA consultation is necessary.

(c) Non-federal permittees must submit a pre-construction notification to the district engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the project, or if the

project is located in designated critical habitat, and shall not begin work on the activity until notified by the district engineer that the requirements of the ESA have been satisfied and that the activity is authorized. For activities that might affect Federally-listed endangered or threatened species or designated critical habitat, the pre-construction notification must include the name(s) of the endangered or threatened species that might be affected by the proposed work or that utilize the designated critical habitat that might be affected by the proposed work. The district engineer will determine whether the proposed activity "may affect" or will have "no effect" to listed species and designated critical habitat and will notify the non-Federal applicant of the Corps' determination within 45 days of receipt of a complete pre-construction notification. In cases where the non-Federal applicant has identified listed species or critical habitat that might be affected or is in the vicinity of the project, and has so notified the Corps, the applicant shall not begin work until the Corps has provided notification the proposed activities will have "no effect" on listed species or critical habitat, or until Section 7 consultation has been completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

(d) As a result of formal or informal consultation with the FWS or NMFS the district engineer may add species-specific regional endangered species conditions to the NWP.

(e) Authorization of an activity by a NWP does not authorize the "take" of a threatened or endangered species as defined under the ESA. In the absence of separate authorization (e.g., an ESA Section 10 Permit, a Biological Opinion with "incidental take" provisions, etc.) from the U.S. FWS or the NMFS, The Endangered Species Act prohibits any person subject to the jurisdiction of the United States to take a listed species, where "take" means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct. The word "harm" in the definition of "take" means an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering.

(f) Information on the location of threatened and endangered species and their critical habitat can be obtained directly from the offices of the U.S. FWS and NMFS or their world wide web pages at <http://www.fws.gov/> or <http://www.fws.gov/ipac> and <http://www.noaa.gov/fisheries.html> respectively.

19. Migratory Birds and Bald and Golden Eagles. The permittee is responsible for obtaining any "take" permits required under the U.S. Fish and Wildlife Service's regulations governing compliance with the Migratory Bird Treaty Act or the Bald and Golden Eagle Protection Act. The permittee should contact the appropriate local office of the U.S. Fish and Wildlife Service to determine if such "take" permits are required for a particular activity.

20. Historic Properties. (a) In cases where the district engineer determines that the activity may affect properties listed, or eligible for listing, in the National Register of Historic Places, the activity is not authorized, until the requirements of Section 106 of the National Historic Preservation Act (NHPA) have been satisfied.

(b) Federal permittees should follow their own procedures for complying with the requirements of Section 106 of the National Historic Preservation Act. Federal permittees must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will review the documentation and determine whether it is sufficient to address section 106 compliance for the NWP activity, or whether additional section 106 consultation is necessary.

(c) Non-federal permittees must submit a pre-construction notification to the district engineer if the authorized activity may have the potential to cause effects to any historic properties listed on, determined to be eligible for listing on, or potentially eligible for listing on the National Register of Historic Places, including previously unidentified properties. For such activities, the pre-construction notification must state which historic properties may be affected by the proposed work or include a vicinity map indicating the location of the historic properties or the potential for the presence of historic properties. Assistance regarding information on the location of or potential for the presence of historic resources can be sought

from the State Historic Preservation Officer or Tribal Historic Preservation Officer, as appropriate, and the National Register of Historic Places (see 33 CFR 330.4(g)). When reviewing pre-construction notifications, district engineers will comply with the current procedures for addressing the requirements of Section 106 of the National Historic Preservation Act. The district engineer shall make a reasonable and good faith effort to carry out appropriate identification efforts, which may include background research, consultation, oral history interviews, sample field investigation, and field survey. Based on the information submitted and these efforts, the district engineer shall determine whether the proposed activity has the potential to cause an effect on the historic properties. Where the non-Federal applicant has identified historic properties on which the activity may have the potential to cause effects and so notified the Corps, the non-Federal applicant shall not begin the activity until notified by the district engineer either that the activity has no potential to cause effects or that consultation under Section 106 of the NHPA has been completed.

(d) The district engineer will notify the prospective permittee within 45 days of receipt of a complete pre-construction notification whether NHPA Section 106 consultation is required. Section 106 consultation is not required when the Corps determines that the activity does not have the potential to cause effects on historic properties (see 36 CFR §800.3(a)). If NHPA section 106 consultation is required and will occur, the district engineer will notify the non-Federal applicant that he or she cannot begin work until Section 106 consultation is completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

(e) Prospective permittees should be aware that section 110k of the NHPA (16 U.S.C. 470h-2(k)) prevents the Corps from granting a permit or other assistance to an applicant who, with intent to avoid the requirements of Section 106 of the NHPA, has intentionally significantly adversely affected a historic property to which the permit would relate, or having legal power to prevent it, allowed such significant adverse effect to occur, unless the Corps, after consultation with the Advisory Council on Historic Preservation (ACHP), determines that circumstances justify granting such assistance despite the adverse effect created or permitted by the applicant. If circumstances justify granting the assistance, the Corps is required to notify the ACHP and provide documentation specifying the circumstances, the degree of damage to the integrity of any historic properties affected, and proposed mitigation. This documentation must include any views obtained from the applicant, SHPO/THPO, appropriate Indian tribes if the undertaking occurs on or affects historic properties on tribal lands or affects properties of interest to those tribes, and other parties known to have a legitimate interest in the impacts to the permitted activity on historic properties.

21. Discovery of Previously Unknown Remains and Artifacts. If you discover any previously unknown historic, cultural or archeological remains and artifacts while accomplishing the activity authorized by this permit, you must immediately notify the district engineer of what you have found, and to the maximum extent practicable, avoid construction activities that may affect the remains and artifacts until the required coordination has been completed. The district engineer will initiate the Federal, Tribal and state coordination required to determine if the items or remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.

22. Designated Critical Resource Waters. Critical resource waters include, NOAA-managed marine sanctuaries and marine monuments, and National Estuarine Research Reserves. The district engineer may designate, after notice and opportunity for public comment, additional waters officially designated by a state as having particular environmental or ecological significance, such as outstanding national resource waters or state natural heritage sites. The district engineer may also designate additional critical resource waters after notice and opportunity for public comment.

(a) Discharges of dredged or fill material into waters of the United States are not authorized by NWPs 7, 12, 14, 16, 17, 21, 29, 31, 35, 39, 40, 42, 43, 44, 49, 50, 51, and 52 for any activity within, or directly affecting, critical resource waters, including wetlands adjacent to such waters.

(b) For NWP 3, 8, 10, 13, 15, 18, 19, 22, 23, 25, 27, 28, 30, 33, 34, 36, 37, and 38, notification is required in accordance with general condition 31, for any activity proposed in the designated critical resource waters including wetlands adjacent to those waters. The district engineer may authorize activities under these NWPs only after it is determined that the impacts to the critical resource waters will be no more than minimal.

23. Mitigation. The district engineer will consider the following factors when determining appropriate and practicable mitigation necessary to ensure that adverse effects on the aquatic environment are minimal:

(a) The activity must be designed and constructed to avoid and minimize adverse effects, both temporary and permanent, to waters of the United States to the maximum extent practicable at the project site (i.e., on site).

(b) Mitigation in all its forms (avoiding, minimizing, rectifying, reducing, or compensating for resource losses) will be required to the extent necessary to ensure that the adverse effects to the aquatic environment are minimal.

(c) Compensatory mitigation at a minimum one-for-one ratio will be required for all wetland losses that exceed 1/10-acre and require pre-construction notification, unless the district engineer determines in writing that either some other form of mitigation would be more environmentally appropriate or the adverse effects of the proposed activity are minimal, and provides a project-specific waiver of this requirement. For wetland losses of 1/10-acre or less that require pre-construction notification, the district engineer may determine on a case-by-case basis that compensatory mitigation is required to ensure that the activity results in minimal adverse effects on the aquatic environment. Compensatory mitigation projects provided to offset losses of aquatic resources must comply with the applicable provisions of 33 CFR part 332. (1) The prospective permittee is responsible for proposing an appropriate compensatory mitigation option if compensatory mitigation is necessary to ensure that the activity results in minimal adverse effects on the aquatic environment. (2) Since the likelihood of success is greater and the impacts to potentially valuable uplands are reduced, wetland restoration should be the first compensatory mitigation option considered. (3) If permittee-responsible mitigation is the proposed option, the prospective permittee is responsible for submitting a mitigation plan. A conceptual or detailed mitigation plan may be used by the district engineer to make the decision on the NWP verification request, but a final mitigation plan that addresses the applicable requirements of 33 CFR 332.4(c)(2) – (14) must be approved by the district engineer before the permittee begins work in waters of the United States, unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation (see 33 CFR 332.3(k)(3)). (4) If mitigation bank or in-lieu fee program credits are the proposed option, the mitigation plan only needs to address the baseline conditions at the impact site and the number of credits to be provided. (5) Compensatory mitigation requirements (e.g., resource type and amount to be provided as compensatory mitigation, site protection, ecological performance standards, monitoring requirements) may be addressed through conditions added to the NWP authorization, instead of components of a compensatory mitigation plan.

(d) For losses of streams or other open waters that require pre-construction notification, the district engineer may require compensatory mitigation, such as stream rehabilitation, enhancement, or preservation, to ensure that the activity results in minimal adverse effects on the aquatic environment.

(e) Compensatory mitigation will not be used to increase the acreage losses allowed by the acreage limits of the NWPs. For example, if an NWP has an acreage limit of 1/2-acre, it cannot be used to authorize any project resulting in the loss of greater than 1/2-acre of waters of the United States, even if compensatory mitigation is provided that replaces or restores some of the lost waters. However, compensatory mitigation can and should be used, as necessary, to ensure that a project already meeting the established acreage limits also satisfies the minimal impact requirement associated with the NWPs.

(f) Compensatory mitigation plans for projects in or near streams or other open waters will normally include a requirement for the restoration or establishment, maintenance, and legal protection (e.g., conservation easements) of riparian areas next to open waters. In some cases, riparian areas may be the

only compensatory mitigation required. Riparian areas should consist of native species. The width of the required riparian area will address documented water quality or aquatic habitat loss concerns. Normally, the riparian area will be 25 to 50 feet wide on each side of the stream, but the district engineer may require slightly wider riparian areas to address documented water quality or habitat loss concerns. If it is not possible to establish a riparian area on both sides of a stream, or if the waterbody is a lake or coastal waters, then restoring or establishing a riparian area along a single bank or shoreline may be sufficient. Where both wetlands and open waters exist on the project site, the district engineer will determine the appropriate compensatory mitigation (e.g., riparian areas and/or wetlands compensation) based on what is best for the aquatic environment on a watershed basis. In cases where riparian areas are determined to be the most appropriate form of compensatory mitigation, the district engineer may waive or reduce the requirement to provide wetland compensatory mitigation for wetland losses.

(g) Permittees may propose the use of mitigation banks, in-lieu fee programs, or separate permittee-responsible mitigation. For activities resulting in the loss of marine or estuarine resources, permittee-responsible compensatory mitigation may be environmentally preferable if there are no mitigation banks or in-lieu fee programs in the area that have marine or estuarine credits available for sale or transfer to the permittee. For permittee-responsible mitigation, the special conditions of the NWP verification must clearly indicate the party or parties responsible for the implementation and performance of the compensatory mitigation project, and, if required, its long-term management.

(h) Where certain functions and services of waters of the United States are permanently adversely affected, such as the conversion of a forested or scrub-shrub wetland to a herbaceous wetland in a permanently maintained utility line right-of-way, mitigation may be required to reduce the adverse effects of the project to the minimal level.

24. Safety of Impoundment Structures. To ensure that all impoundment structures are safely designed, the district engineer may require non-Federal applicants to demonstrate that the structures comply with established state dam safety criteria or have been designed by qualified persons. The district engineer may also require documentation that the design has been independently reviewed by similarly qualified persons, and appropriate modifications made to ensure safety.

25. Water Quality. Where States and authorized Tribes, or EPA where applicable, have not previously certified compliance of an NWP with CWA Section 401, individual 401 Water Quality Certification must be obtained or waived (see 33 CFR 330.4(c)). The district engineer or State or Tribe may require additional water quality management measures to ensure that the authorized activity does not result in more than minimal degradation of water quality.

26. Coastal Zone Management. In coastal states where an NWP has not previously received a state coastal zone management consistency concurrence, an individual state coastal zone management consistency concurrence must be obtained, or a presumption of concurrence must occur (see 33 CFR 330.4(d)). The district engineer or a State may require additional measures to ensure that the authorized activity is consistent with state coastal zone management requirements.

27. Regional and Case-By-Case Conditions. The activity must comply with any regional conditions that may have been added by the Division Engineer (see 33 CFR 330.4(e)) and with any case specific conditions added by the Corps or by the state, Indian Tribe, or U.S. EPA in its section 401 Water Quality Certification, or by the state in its Coastal Zone Management Act consistency determination.

28. Use of Multiple Nationwide Permits. The use of more than one NWP for a single and complete project is prohibited, except when the acreage loss of waters of the United States authorized by the NWPs does not exceed the acreage limit of the NWP with the highest specified acreage limit. For example, if a road crossing over tidal waters is constructed under NWP 14, with associated bank stabilization

authorized by NWP 13, the maximum acreage loss of waters of the United States for the total project cannot exceed 1/3-acre.

29. Transfer of Nationwide Permit Verifications. If the permittee sells the property associated with a nationwide permit verification, the permittee may transfer the nationwide permit verification to the new owner by submitting a letter to the appropriate Corps district office to validate the transfer. A copy of the nationwide permit verification must be attached to the letter, and the letter must contain the following statement and signature:

“When the structures or work authorized by this nationwide permit are still in existence at the time the property is transferred, the terms and conditions of this nationwide permit, including any special conditions, will continue to be binding on the new owner(s) of the property. To validate the transfer of this nationwide permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date below.”

(Transferee)

(Date)

30. Compliance Certification. Each permittee who receives an NWP verification letter from the Corps must provide a signed certification documenting completion of the authorized activity and any required compensatory mitigation. The success of any required permittee-responsible mitigation, including the achievement of ecological performance standards, will be addressed separately by the district engineer. The Corps will provide the permittee the certification document with the NWP verification letter. The certification document will include: (a) A statement that the authorized work was done in accordance with the NWP authorization, including any general, regional, or activity-specific conditions; (b) A statement that the implementation of any required compensatory mitigation was completed in accordance with the permit conditions. If credits from a mitigation bank or in-lieu fee program are used to satisfy the compensatory mitigation requirements, the certification must include the documentation required by 33 CFR 332.3(l)(3) to confirm that the permittee secured the appropriate number and resource type of credits; and (c) The signature of the permittee certifying the completion of the work and mitigation.

31. Pre-Construction Notification. (a) Timing. Where required by the terms of the NWP, the prospective permittee must notify the district engineer by submitting a pre-construction notification (PCN) as early as possible. The district engineer must determine if the PCN is complete within 30 calendar days of the date of receipt and, if the PCN is determined to be incomplete, notify the prospective permittee within that 30 day period to request the additional information necessary to make the PCN complete. The request must specify the information needed to make the PCN complete. As a general rule, district engineers will request additional information necessary to make the PCN complete only once. However, if the prospective permittee does not provide all of the requested information, then the district engineer will notify the prospective permittee that the PCN is still incomplete and the PCN review process will not commence until all of the requested information has been received by the district engineer. The prospective permittee shall not begin the activity until either: (1) He or she is notified in writing by the district engineer that the activity may proceed under the NWP with any special conditions imposed by the district or division engineer; or (2) 45 calendar days have passed from the district engineer's receipt of the complete PCN and the prospective permittee has not received written notice from the district or division engineer. However, if the permittee was required to notify the Corps pursuant to general condition 18 that listed species or critical habitat might be affected or in the vicinity of the project, or to notify the Corps pursuant to general condition 20 that the activity may have the potential to cause effects to historic properties, the permittee cannot begin the activity until receiving written notification from the Corps that there is “no effect” on listed species or “no potential to cause effects” on historic properties, or that any consultation required under Section 7 of the Endangered Species Act (see 33 CFR 330.4(f)) and/or

Section 106 of the National Historic Preservation (see 33 CFR 330.4(g)) has been completed. Also, work cannot begin under NWP 21, 49, or 50 until the permittee has received written approval from the Corps. If the proposed activity requires a written waiver to exceed specified limits of an NWP, the permittee may not begin the activity until the district engineer issues the waiver. If the district or division engineer notifies the permittee in writing that an individual permit is required within 45 calendar days of receipt of a complete PCN, the permittee cannot begin the activity until an individual permit has been obtained. Subsequently, the permittee's right to proceed under the NWP may be modified, suspended, or revoked only in accordance with the procedure set forth in 33 CFR 330.5(d)(2).

(b) Contents of Pre-Construction Notification: The PCN must be in writing and include the following information: (1) Name, address and telephone numbers of the prospective permittee; (2) Location of the proposed project; (3) A description of the proposed project; the project's purpose; direct and indirect adverse environmental effects the project would cause, including the anticipated amount of loss of water of the United States expected to result from the NWP activity, in acres, linear feet, or other appropriate unit of measure; any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity. The description should be sufficiently detailed to allow the district engineer to determine that the adverse effects of the project will be minimal and to determine the need for compensatory mitigation. Sketches should be provided when necessary to show that the activity complies with the terms of the NWP. (Sketches usually clarify the project and when provided results in a quicker decision. Sketches should contain sufficient detail to provide an illustrative description of the proposed activity (e.g., a conceptual plan), but do not need to be detailed engineering plans); (4) The PCN must include a delineation of wetlands, other special aquatic sites, and other waters, such as lakes and ponds, and perennial, intermittent, and ephemeral streams, on the project site. Wetland delineations must be prepared in accordance with the current method required by the Corps. The permittee may ask the Corps to delineate the special aquatic sites and other waters on the project site, but there may be a delay if the Corps does the delineation, especially if the project site is large or contains many waters of the United States. Furthermore, the 45 day period will not start until the delineation has been submitted to or completed by the Corps, as appropriate; (5) If the proposed activity will result in the loss of greater than 1/10-acre of wetlands and a PCN is required, the prospective permittee must submit a statement describing how the mitigation requirement will be satisfied, or explaining why the adverse effects are minimal and why compensatory mitigation should not be required. As an alternative, the prospective permittee may submit a conceptual or detailed mitigation plan. (6) If any listed species or designated critical habitat might be affected or is in the vicinity of the project, or if the project is located in designated critical habitat, for non-Federal applicants the PCN must include the name(s) of those endangered or threatened species that might be affected by the proposed work or utilize the designated critical habitat that may be affected by the proposed work. Federal applicants must provide documentation demonstrating compliance with the Endangered Species Act; and (7) For an activity that may affect a historic property listed on, determined to be eligible for listing on, or potentially eligible for listing on, the National Register of Historic Places, for non-Federal applicants the PCN must state which historic property may be affected by the proposed work or include a vicinity map indicating the location of the historic property. Federal applicants must provide documentation demonstrating compliance with Section 106 of the National Historic Preservation Act.

(c) Form of Pre-Construction Notification: The standard individual permit application form (Form ENG 4345) may be used, but the completed application form must clearly indicate that it is a PCN and must include all of the information required in paragraphs (b)(1) through (7) of this general condition. A letter containing the required information may also be used.

(d) Agency Coordination: (1) The district engineer will consider any comments from Federal and state agencies concerning the proposed activity's compliance with the terms and conditions of the NWPs and the need for mitigation to reduce the project's adverse environmental effects to a minimal level. (2) For all NWP activities that require pre-construction notification and result in the loss of greater than 1/2-acre of waters of the United States, for NWP 21, 29, 39, 40, 42, 43, 44, 50, 51, and 52 activities that require pre-construction notification and will result in the loss of greater than 300 linear feet of

intermittent and ephemeral stream bed, and for all NWP 48 activities that require pre-construction notification, the district engineer will immediately provide (e.g., via e-mail, facsimile transmission, overnight mail, or other expeditious manner) a copy of the complete PCN to the appropriate Federal or state offices (U.S. FWS, state natural resource or water quality agency, EPA, State Historic Preservation Officer (SHPO) or Tribal Historic Preservation Office (THPO), and, if appropriate, the NMFS). With the exception of NWP 37, these agencies will have 10 calendar days from the date the material is transmitted to telephone or fax the district engineer notice that they intend to provide substantive, site-specific comments. The comments must explain why the agency believes the adverse effects will be more than minimal. If so contacted by an agency, the district engineer will wait an additional 15 calendar days before making a decision on the pre-construction notification. The district engineer will fully consider agency comments received within the specified time frame concerning the proposed activity's compliance with the terms and conditions of the NWPs, including the need for mitigation to ensure the net adverse environmental effects to the aquatic environment of the proposed activity are minimal. The district engineer will provide no response to the resource agency, except as provided below. The district engineer will indicate in the administrative record associated with each pre-construction notification that the resource agencies' concerns were considered. For NWP 37, the emergency watershed protection and rehabilitation activity may proceed immediately in cases where there is an unacceptable hazard to life or a significant loss of property or economic hardship will occur. The district engineer will consider any comments received to decide whether the NWP 37 authorization should be modified, suspended, or revoked in accordance with the procedures at 33 CFR 330.5. (3) In cases of where the prospective permittee is not a Federal agency, the district engineer will provide a response to NMFS within 30 calendar days of receipt of any Essential Fish Habitat conservation recommendations, as required by Section 305(b)(4)(B) of the Magnuson-Stevens Fishery Conservation and Management Act. (4) Applicants are encouraged to provide the Corps with either electronic files or multiple copies of pre-construction notifications to expedite agency coordination.

District Engineer's Decision

1. In reviewing the PCN for the proposed activity, the district engineer will determine whether the activity authorized by the NWP will result in more than minimal individual or cumulative adverse environmental effects or may be contrary to the public interest. For a linear project, this determination will include an evaluation of the individual crossings to determine whether they individually satisfy the terms and conditions of the NWP(s), as well as the cumulative effects caused by all of the crossings authorized by NWP. If an applicant requests a waiver of the 300 linear foot limit on impacts to intermittent or ephemeral streams or of an otherwise applicable limit, as provided for in NWPs 13, 21, 29, 36, 39, 40, 42, 43, 44, 50, 51 or 52, the district engineer will only grant the waiver upon a written determination that the NWP activity will result in minimal adverse effects. When making minimal effects determinations the district engineer will consider the direct and indirect effects caused by the NWP activity. The district engineer will also consider site specific factors, such as the environmental setting in the vicinity of the NWP activity, the type of resource that will be affected by the NWP activity, the functions provided by the aquatic resources that will be affected by the NWP activity, the degree or magnitude to which the aquatic resources perform those functions, the extent that aquatic resource functions will be lost as a result of the NWP activity (e.g., partial or complete loss), the duration of the adverse effects (temporary or permanent), the importance of the aquatic resource functions to the region (e.g., watershed or ecoregion), and mitigation required by the district engineer. If an appropriate functional assessment method is available and practicable to use, that assessment method may be used by the district engineer to assist in the minimal adverse effects determination. The district engineer may add case-specific special conditions to the NWP authorization to address site-specific environmental concerns.

2. If the proposed activity requires a PCN and will result in a loss of greater than 1/10-acre of wetlands, the prospective permittee should submit a mitigation proposal with the PCN. Applicants may also propose compensatory mitigation for projects with smaller impacts. The district engineer will

consider any proposed compensatory mitigation the applicant has included in the proposal in determining whether the net adverse environmental effects to the aquatic environment of the proposed activity are minimal. The compensatory mitigation proposal may be either conceptual or detailed. If the district engineer determines that the activity complies with the terms and conditions of the NWP and that the adverse effects on the aquatic environment are minimal, after considering mitigation, the district engineer will notify the permittee and include any activity-specific conditions in the NWP verification the district engineer deems necessary. Conditions for compensatory mitigation requirements must comply with the appropriate provisions at 33 CFR 332.3(k). The district engineer must approve the final mitigation plan before the permittee commences work in waters of the United States, unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation. If the prospective permittee elects to submit a compensatory mitigation plan with the PCN, the district engineer will expeditiously review the proposed compensatory mitigation plan. The district engineer must review the proposed compensatory mitigation plan within 45 calendar days of receiving a complete PCN and determine whether the proposed mitigation would ensure no more than minimal adverse effects on the aquatic environment. If the net adverse effects of the project on the aquatic environment (after consideration of the compensatory mitigation proposal) are determined by the district engineer to be minimal, the district engineer will provide a timely written response to the applicant. The response will state that the project can proceed under the terms and conditions of the NWP, including any activity-specific conditions added to the NWP authorization by the district engineer.

3. If the district engineer determines that the adverse effects of the proposed work are more than minimal, then the district engineer will notify the applicant either: (a) That the project does not qualify for authorization under the NWP and instruct the applicant on the procedures to seek authorization under an individual permit; (b) that the project is authorized under the NWP subject to the applicant's submission of a mitigation plan that would reduce the adverse effects on the aquatic environment to the minimal level; or (c) that the project is authorized under the NWP with specific modifications or conditions. Where the district engineer determines that mitigation is required to ensure no more than minimal adverse effects occur to the aquatic environment, the activity will be authorized within the 45-day PCN period, with activity-specific conditions that state the mitigation requirements. The authorization will include the necessary conceptual or detailed mitigation or a requirement that the applicant submit a mitigation plan that would reduce the adverse effects on the aquatic environment to the minimal level. When mitigation is required, no work in waters of the United States may occur until the district engineer has approved a specific mitigation plan or has determined that prior approval of a final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation.

Further Information

1. District Engineers have authority to determine if an activity complies with the terms and conditions of an NWP.
2. NWPs do not obviate the need to obtain other federal, state, or local permits, approvals, or authorizations required by law.
3. NWPs do not grant any property rights or exclusive privileges.
4. NWPs do not authorize any injury to the property or rights of others.
5. NWPs do not authorize interference with any existing or proposed Federal project.

C. CORPS SEATTLE DISTRICT REGIONAL GENERAL CONDITIONS

1. Aquatic Resources Requiring Special Protection. Activities resulting in a loss of waters of the United States in a mature forested wetland, bog, bog-like wetland, aspen-dominated wetland, alkali wetland, wetlands in a dunal system along the Washington coast, vernal pools, camas prairie wetlands, estuarine

wetlands, and wetlands in coastal lagoons cannot be authorized by a NWP, except by the following NWPs:

NWP 3 – Maintenance
NWP 20 – Oil Spill Cleanup
NWP 32 – Completed Enforcement Actions
NWP 38 – Cleanup of Hazardous and Toxic Waste

In order to use one of the above-referenced NWPs in any of the aquatic resources requiring special protection, you must submit a pre-construction notification to the District Engineer in accordance with Nationwide Permit General Condition 31 (Pre-Construction Notification) and obtain written approval before commencing work.

2. Commencement Bay. The following NWPs may not be used to authorize activities located in the Commencement Bay Study Area (see Figure 1 at www.nws.usace.army.mil, select Regulatory Permits then Permit Guidebook, then Nationwide Permits) requiring Department of the Army authorization:

NWP 12 – Utility Line Activities (substations)
NWP 13 – Bank Stabilization
NWP 14 – Linear Transportation Projects
NWP 23 – Approved Categorical Exclusions
NWP 29 – Residential Developments
NWP 39 – Commercial and Institutional Developments
NWP 40 – Agricultural Activities
NWP 41 – Reshaping Existing Drainage Ditches
NWP 42 – Recreational Facilities
NWP 43 – Stormwater Management Facilities

3. New Bank Stabilization Prohibition Areas in Tidal Waters of Puget Sound. Activities involving new bank stabilization in tidal waters in Water Resource Inventory Areas (WRIAs) 8, 9, 10, 11, and 12 (within the specific area identified on Figure 2 at www.nws.usace.army.mil, select Regulatory Permits then Permit Guidebook, then Nationwide Permits) cannot be authorized by a NWP.

4. Bank Stabilization. Any project including new or maintenance bank stabilization activities requires pre-construction notification to the District Engineer in accordance with Nationwide Permit General Condition 31 for Pre-Construction Notification. This requirement does not apply to maintenance work exempt by 33 CFR 323.4 (a)(2). Each notification must also include the following information:

a. Need for the work, including the cause of the erosion and the threat posed to structures, infrastructure, and/or public safety. The notification must also include a justification for the need to place fill or structures waterward of the line of the Corps' jurisdiction (typically, the ordinary high water mark or mean higher high water mark).

b. Current and expected post-project sediment movement and deposition patterns in and near the project area. In tidal waters, describe the location and size of the nearest bluff sediment sources (feeder bluffs) to the project area and current and expected post-project nearshore drift patterns in the project area.

c. Current and expected post-project habitat conditions, including the presence of fish, wildlife and plant species, submerged aquatic vegetation, spawning habitat, and special aquatic sites (e.g., vegetated shallows, riffle and pool complexes, or mudflats) in the project area.

d. In rivers and streams, an assessment of the likely impact of the proposed work on upstream, downstream and cross-stream properties (at a minimum the area assessed should extend from the nearest upstream bend to the nearest downstream bend of the watercourse). Discuss the methodology used for determining effects. The Corps reserves the right to request an increase in the reach assessment area to fully address the relevant ecological reach and associated habitat.

e. For new bank stabilization activities in rivers and streams, describe the type and length of existing bank stabilization within 300 feet up and downstream of the project area. In tidal areas, describe the type and length of existing bank stabilization within 300 feet along the shoreline on both sides of the project area.

f. Demonstrate the proposed project incorporates the least environmentally damaging practicable bank protection methods. These methods include, but are not limited to, the use of bioengineering, biotechnical design, root wads, large woody material, native plantings, and beach nourishment in certain circumstances. If rock must be used due to site erosion conditions, explain how the bank stabilization structure incorporates elements beneficial to fish. If the Corps determines you have not incorporated the least environmentally damaging practicable bank protection methods and/or have not fully compensated for impacts to aquatic resources, you must submit a compensatory mitigation plan to compensate for impacts to aquatic resources.

g. A planting plan using native riparian plant species unless the applicant demonstrates a planting plan is not appropriate or not practicable.

5. Crossings of Waters of the United States. Any project including installing, replacing, or modifying crossings of waters of the United States, such as culverts, requires pre-construction notification to the District Engineer in accordance with Nationwide Permit General Condition 31 for Pre-Construction Notification. This requirement does not apply to maintenance work exempt by 33 CFR 323.4 (a)(2). Each notification must also include the following information:

- a. Need for the crossing.
- b. Crossing design criteria and design methodology.
- c. Rationale behind using the specific design method for the crossing.

6. Cultural Resources and Human Burials. Permittees must immediately stop work and notify the District Engineer within 24 hours if, during the course of conducting authorized work, human burials, cultural resources, or historic properties, as identified by the National Historic Preservation Act, are discovered. Failure to stop work in the area of discovery until the Corps can comply with the provisions of 33 CFR 325 Appendix C, the National Historic Preservation Act, and other pertinent laws and regulations could result in a violation of state and federal laws. Violators are subject to civil and criminal penalties.

7. Essential Fish Habitat. An activity which may adversely affect essential fish habitat, as identified under the Magnuson-Stevens Fishery Conservation and Management Act (MSA), may not be authorized by NWP until essential fish habitat requirements have been met by the applicant and the Corps. Non-federal permittees shall notify the District Engineer if essential fish habitat may be affected by, or is in the vicinity of, a proposed activity and shall not begin work until notified by the District Engineer that the requirements of the essential fish habitat provisions of the MSA have been satisfied and the activity is authorized. The notification must identify the type(s) of essential fish habitat (e.g., Pacific salmon,

groundfish, and/or coastal-pelagic species) managed by a Fishery Management Plan that may be affected. Information about essential fish habitat is available at www.nwr.noaa.gov/.

8. Vegetation Protection and Restoration. Permittees must clearly mark all construction area boundaries before beginning work. The removal of native vegetation in riparian areas and wetlands, and the removal of submerged aquatic vegetation in estuarine and tidal areas must be avoided and minimized to the maximum extent practicable. Areas subject to temporary vegetation removal shall be replanted with appropriate native species by the end of the first planting season following the disturbance except as waived by the District Engineer. If an aquaculture area is permitted to impact submerged aquatic vegetation under NWP 48, the aquaculture area does not need to be replanted with submerged aquatic vegetation.

9. Access. You must allow representatives of this office to inspect the authorized activity at any time deemed necessary to ensure the work is being, or has been, accomplished in accordance with the terms and conditions of your permit.

10. Contractor Notification of Permit Requirements. The permittee must provide a copy of the nationwide permit verification letter, conditions, and permit drawings to all contractors involved with the authorized work, prior to the commencement of any work in waters of the U.S.

D. CORPS REGIONAL SPECIFIC CONDITIONS FOR THIS NWP

1. Temporary fills may be left in place no longer than six months unless the permittee requests and receives a waiver from the District Engineer.

E. STATE 401 CERTIFICATION GENERAL CONDITIONS:

1. **For in-water construction activities**. Individual 401 review is required for projects or activities authorized under NWPs that will cause, or be likely to cause or contribute to an exceedence of a State water quality standard (WAC 173-201A) or sediment management standard (WAC 173-204).

Note: State water quality standards are posted on Ecology's website:

<http://www.ecy.wa.gov/programs/wq/swqs/>. Click "Surface Water Criteria" for freshwater and marine water standards. Sediment management standards are posted on Ecology's website:

<http://www.ecy.wa.gov/biblio/wac173204.html>. Information is also available by contacting Ecology's Federal Permit staff.

2. **Projects or Activities Discharging to Impaired Waters**. Individual 401 review is required for projects or activities authorized under NWPs if the project or activity will occur in a 303(d) listed segment of a waterbody or upstream of a listed segment and may result in further exceedences of the specific listed parameter.

Note: To determine if your project or activity is in a 303(d) listed segment of a waterbody, visit Ecology's Water Quality Assessment webpage for maps and search tools,

<http://www.ecy.wa.gov/programs/wq/303d/2008/>. Information is also available by contacting Ecology's Federal Permit staff.

3. **Notification**. For projects or activities that will require Individual 401 review, applicants must provide Ecology with the same documentation provided to the Corps (as described in Corps Nationwide Permit General Condition 31, Pre-Construction Notification), including, when applicable:

- (a) A description of the project, including site plans, project purpose, direct and indirect adverse environmental effects the project would cause, and any other Department of the Army permits used or intended to be used to authorize any part of the proposed project or any related activity.
- (b) Delineation of special aquatic sites and other waters of the United States. Wetland delineations must be prepared in accordance with the current method required by the Corps and shall include Ecology's Wetland Rating form. Wetland rating forms are subject to review and verification by Ecology staff.

Note: Wetland rating forms are available on Ecology's Wetlands website: <http://www.ecy.wa.gov/programs/sea/wetlands/ratingsystems> or by contacting Ecology's Federal Permit staff.

- (c) A statement describing how the mitigation requirement will be satisfied. A conceptual or detailed mitigation or restoration plan may be submitted.

Mitigation plans submitted for Ecology review and approval shall be based on the guidance provided in Wetland Mitigation in Washington State, Parts 1 and 2 (Ecology Publications #06-06-011a and #06-06-011b).

- (d) Coastal Zone Management Program "Certification of Consistency" Form if the project is located within a coastal county (Clallam, Grays Harbor, Island, Jefferson, King, Kitsap, Mason, Pacific, Pierce, San Juan, Skagit, Snohomish, Thurston, Wahkiakum, and Whatcom counties).

Note: CZM Certification of Consistency forms are available on Ecology's Federal Permit website: <http://www.ecy.wa.gov/programs/sea/fed-permit/index.html> or by contacting Ecology's Federal Permit staff.

- (e) Other applicable requirements of Corps Nationwide Permit General Condition 31, Corps Regional Conditions, or notification conditions of the applicable NWP.

*Note: Ecology has 180 days from receipt of applicable documents noted above **and** a copy of the final authorization letter from the Corps providing coverage for a proposed project or activity under the NWP Program to issue a WQC and CZM consistency determination response. If more than 180 days pass after Ecology's receipt of these documents, your requirement to obtain an individual WQC and CZM consistency determination response becomes waived.*

4. **Aquatic resources requiring special protection.** Certain aquatic resources are unique, difficult-to-replace components of the aquatic environment in Washington State. Activities that would affect these resources must be avoided to the greatest extent possible. Compensating for adverse impacts to high value aquatic resources is typically difficult, prohibitively expensive, and may not be possible in some landscape settings.

Individual 401 review is required for activities in or affecting the following aquatic resources (and not prohibited by Regional Condition 1):

- (a) Wetlands with special characteristics (as defined in the Washington State Wetland Rating Systems for western and eastern Washington, Ecology Publications #04-06-025 and #04-06-015):
 - Estuarine wetlands
 - Natural Heritage wetlands

- Bogs
- Old-growth and mature forested wetlands
- Wetlands in coastal lagoons
- Interdunal wetlands
- Vernal pools
- Alkali wetlands

(b) Fens, aspen-dominated wetlands, camas prairie wetlands, and marine water with eelgrass (*Zostera marina*) beds (except for NWP 48).

(c) Category 1 wetlands

(d) Category II wetlands with a habitat score ≥ 29 points. This State General Condition does not apply to the following Nationwide Permits:

NWP 20 – Response Operations for Oil and Hazardous Substances
 NWP 32 – Completed Enforcement Actions

5. Mitigation. For projects requiring Individual 401 review, adequate compensatory mitigation must be provided for wetland and other water quality-related impacts of projects or activities authorized under the NWP Program.

(a) Mitigation plans submitted for Ecology review and approval shall be based on the guidance provided in Wetland Mitigation in Washington State, Parts 1 and 2 (Ecology Publications #06-06-011a and #06-06-011b) and shall, at a minimum, include the following:

- i. A description of the measures taken to avoid and minimize impacts to wetlands and other waters of the U.S.
- ii. The nature of the proposed impacts (i.e., acreage of wetlands and functions lost or degraded)
- iii. The rationale for the mitigation site that was selected
- iv. The goals and objectives of the compensatory mitigation project
- v. How the mitigation project will be accomplished, including construction sequencing, best management practices to protect water quality, proposed performance standards for measuring success and the proposed buffer widths
- vi. How it will be maintained and monitored to assess progress towards goals and objectives. Monitoring will generally be required for a minimum of five years. For forested and scrub-shrub wetlands, 10 years of monitoring will often be necessary.
- vii. How the compensatory mitigation site will be legally protected for the long term.

Refer to Wetland Mitigation in Washington State – Part 2: Developing Mitigation Plans (Ecology Publication #06-06-011b) for guidance on developing mitigation plans.

Ecology encourages the use of alternative mitigation approaches, including advance mitigation and other programmatic approaches such as mitigation banks and programmatic mitigation areas at the local level.

If you are interested in proposing use of an alternative mitigation approach, consult with the appropriate Ecology regional staff person. (see <http://www.ecy.wa.gov/programs/sea/wetlands/contacts.htm>)

Information on the state wetland mitigation banking program is available on Ecology's website: <http://www.ecy.wa.gov/programs/sea/wetlands/mitigation/banking/index.html>

6. **Temporary Fills.** Individual 401 review is required for any project or activity with temporary fill in wetlands or other waters of the State for more than 90 days, unless the applicant has received written approval from Ecology.

Note: This State General Condition does not apply to projects or activities authorized under NWP 33, Temporary Construction, Access, and Dewatering

7. **Stormwater discharge pollution prevention:** All projects that involve land disturbance or impervious surfaces must implement prevention or control measures to avoid discharge of pollutants in stormwater runoff to waters of the state. For land disturbances during construction, the permittee must obtain and implement permits where required and follow Ecology's current stormwater manual.

Note: Stormwater permit information is available at Ecology's Water Quality website:

<http://www.ecy.wa.gov/programs/wq/stormwater/index.html>. Ecology's Stormwater Management and Design Manuals are available at:

<http://www.ecy.wa.gov/programs/wq/stormwater/municipal/StrmwtrMan.html>. Information is also available by contacting Ecology's Federal Permit staff.

8. **State Certification for PCNs not receiving 45-day response.** In the event the U.S. Army Corps of Engineers does not respond to a complete pre-construction notification within 45 days, the applicant must contact Ecology for Individual 401 review.

F. **STATE 401 CERTIFICATION SPECIFIC CONDITIONS FOR THIS NWP:** Certified subject to conditions. Permittee must meet Ecology 401 General Conditions. Individual 401 review is required for projects or activities authorized under this NWP if:

1. Temporary fills are placed in more than ½ acre of wetlands and left in place for more than 90 days.
2. Temporary fills are left in place for longer than six months.

G. **EPA 401 CERTIFICATION GENERAL CONDITIONS:**

A. Any activities in the following types of wetlands and waters of the United States will need to apply for an individual 401 certification: Mature forested wetlands, bogs, bog-like wetlands, wetlands in dunal systems along the Washington coast, coastal lagoons, vernal pools, aspen-dominated wetlands, alkali wetlands, camas prairie wetlands, estuarine wetlands, including salt marshes, and marine waters with eelgrass or kelp beds.

B. A 401 certification determination is based on the project or activity meeting established turbidity levels. The EPA will be using as guidance the state of Washington's water quality standards [WAC 173-201a] and sediment quality standards [WAC 173-204]. Projects or activities that are expected to exceed these levels or that do exceed these levels will require an individual 401 certification.

The water quality standards allow for short-term turbidity exceedances after all necessary Best Management Practices have been implemented (e.g., properly placed and maintained filter fences, hay bales and/or other erosion control devices, adequate detention of runoff to prevent turbid water from flowing off-site, providing a vegetated buffer between the activity and open water, etc.), and only up to the following limits:

Wetted Stream Width at Discharge Point	Approximate Downstream Point for Determining Compliance
Up to 30 feet	50 feet
>30 to 100 feet	100 feet
>100 feet to 200 feet	200 feet
>200 feet	300 feet
LAKE, POND, RESERVOIR	Lesser of 100 feet or maximum surface dimension

C. 401 certification of projects and activities under NWP's will use Washington State Department of Ecology's most recent stormwater manual or an EPA approved equivalent manual as guidance in meeting water quality standards.

D. For projects and activities requiring coverage under an NPDES permit, certification is based on compliance with the requirements of that permit. Projects and activities not in compliance with NPDES requirements will require individual 401 certification.

E. Individual 401 certification is required for projects or activities authorized under NWP's if the project will discharge to a waterbody on the list of impaired waterbodies (the 303(d) List) and the discharge may result in further exceedance of a specific parameter the waterbody is listed for. The EPA shall make this determination on a case-by-case basis.

For projects or activities that will discharge to a 303(d)-listed waterbody that does not have an approved Total Maximum Daily Load (TMDL) or an approved water quality management plan, the applicant must provide documentation for EPA approval showing that the discharge will not result in further exceedance of the listed contaminant or impairment.

For projects or activities that will discharge to a 303(d)-listed waterbody that does not have an approved TMDL, the applicant must provide documentation for EPA approval showing that the discharge is within the limits established in the TMDL. The current list of 303(d)-listed waterbodies in Washington State will be consulted in making this determination and is available on Ecology's web site at: www.ecy.wa.gov/programs/wq/303d/2012/index.html

The EPA may issue 401 certification for projects or activities that would result in further exceedance or impairment if mitigation is provided that would result in a net decrease in listed contaminants or less impairment in the waterbody. This determination would be made during individual 401 certification review.

F. For projects requiring individual 401 certification, applicants must provide the EPA with the same documentation provided to the Corps, (as described in Corps' National General Condition 31, Pre-Construction Notification), including, when applicable:

- (a) A description of the project, including site plans, project purpose, direct and indirect adverse

environmental effects the project would cause, any other U.S. Department of the Army permits used or intended to use to authorize any part of the proposed project or any related activity.

- (b) Delineation of special aquatic sites and other waters of the United States. Wetland delineations must be prepared in accordance with the current method required by the Corps.
- (c) A statement describing how the mitigation requirement will be satisfied. A conceptual or detailed mitigation or restoration plan may be submitted.
- (d) Other applicable requirements of Corps National General Condition 31, Corps Regional Conditions, or notification conditions of the applicable NWP.

A request for individual 401 certification- review is not complete until the EPA receives the applicable documents noted above and the EPA has received a copy of the final authorization letter from the Corps providing coverage for a proposed project or activity under the NWP Program.

G. No activity, including structures and work in navigable waters of the United States or discharges of dredged or fill material, may consist of unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.) and material used for construction or discharged must be free from toxic pollutants in toxic amounts (see Section 307 of the Clean Water Act).

H. An individual 401 certification is based on adequate compensatory mitigation being provided for aquatic resource and other water quality-related impacts of projects or activities authorized under the NWP Program.

A 401 certification is contingent upon written approval from the EPA of the compensatory mitigation plan for projects and activities resulting in any of the following:

- impacts to any aquatic resources requiring special protection (as defined in EPA General Condition A or Corps General Regional Condition 1)
- any impacts to tidal waters or non-tidal waters adjacent to tidal waters (applies to NWP 14)
- Or, any impacts to aquatic resources greater than ¼ acre.

Compensatory mitigation plans submitted to the EPA shall be based on the Joint Agency guidance provided in *Wetland Mitigation in Washington State, Parts 1 and 2* (Ecology Publication #06-06-011a and #06-06-011b) and shall, at a minimum, include the following:

- (1) A description of the measures taken to avoid and minimize impacts to wetlands and other waters of the U.S.
- (2) The nature of the proposed impacts (i.e., acreage of wetlands and functions lost or degraded)
- (3) The rationale for the mitigation site that was selected
- (4) The goals and objectives of the compensatory mitigation project
- (5) How the mitigation project will be accomplished, including proposed performance standards for measuring success (including meeting planting success standard of 80 percent survival after five years), evidence for hydrology at the mitigation site, and the proposed buffer widths;
- (6) How it will be maintained and monitored to assess progress towards goals and objectives.
- (7) Completion and submittal of an "as-built conditions report" upon completion of grading, planting and hydrology establishment at the mitigation site;
- (8) Completion and submittal of monitoring reports at years 3 and 5 showing the results of

monitoring for hydrology, vegetation types, and aerial cover of vegetation.

(9) For forested and scrub-shrub wetlands, 10 years of monitoring will often be necessary.

(10) Documentation of legal site protection mechanism (covenant or deed restriction) to show how the compensatory mitigation site will be legally protected for the long-term.

I. An individual 401 certification is required for any activity where temporary fill will remain in wetlands or other waterbodies for more than 90 days. The 90 day period begins when filling activity starts in the wetland or other waterbody.

J. An individual 401 is required for any proposed project or activity in waterbodies on the most current list of the following Designated Critical Resource Waters (per Corps General Condition 22).

K. An individual 401 certification is required for any proposed project that would increase permanent, above-grade fill within the 100-year floodplain (including the floodway and the flood fringe).

[**Note:** The 100-year floodplain is defined as those areas identified as Zones A, A1-30, AE, AH, AO, A99, V, V1-30, and VE on the most current Federal Emergency Management Agency Flood Rate Insurance Maps, or areas identified as within the 100-year floodplain on applicable local Flood Management Program maps. The 100-year flood is also known as the flood with a 100-year recurrence interval, or as the flood with an exceedance probability of 0.01.]

H. EPA 401 CERTIFICATION SPECIFIC CONDITIONS FOR THIS NWP: Partially denied without prejudice. Permittee must meet EPA 401 General Conditions. Individual 401 certification required for projects authorized under this NWP if the project or activity has temporary fills left in place for more than 90 days. The 90 day period begins when fill is initially placed in wetlands or other waters of the U.S.

I. COASTAL ZONE MANAGEMENT CONSISTENCY RESPONSE FOR THIS NWP: Concur subject to the following condition: When individual 401 review by Ecology is triggered, a CZM Certification of Consistency form must be submitted for projects located within the 15 coastal counties (see State General 401 Condition 3 (Notification)).